


WRG

PCB Relays

THERE'S A NEW TOP PLAYER IN EUROPE

WRG TOP 5

RC Series Power Relay - 5A



Outline dim. (LxWxH): 20.3x7.0x14.7 mm

CQC: CQC12002067898

cULus: E345228

TUV: R50220640

VDE: 40034781

SSA approval rating

cULus (ANSI/UL 508 – ANSI/UL 60947-4-1)

5A/250VAC

3A/250VAC

1/8HP/240VAC

5A/30VDC

VDE

5A/250VAC

3A/250VAC

Meets IEC / EN 60079-15 - Electrical apparatus for explosive gas atmospheres

RJE Series Power Relay - 10A



Outline dim. (LxWxH): 19.8x9.9x15.2 mm

CQC: CQC12002084196

cULus: E345228

TUV: R50246903

VDE: 40045973

SSA approval rating ⁽¹⁾

cULus (ANSI/UL 508 – ANSI/UL 60947-4-1)

(1formA) 5A/277VAC 5A/30VDC

10A/125VAC 1/6HP/277VAC

(1formC) 5A[3A]/277VAC

5A[5A]/30VDC

VDE


(1formA) 5A/277VAC $\cos\phi=0.4$

10A/277VAC 5A/30VDC

(1formC) 5A[3A]/277VAC $\cos\phi=0.4$

Meets IEC / EN 60079-15 - Electrical apparatus for explosive gas atmospheres

RD Series Power Relay - 15A "SUGAR CUBE"



Outline dim. (LxWxH): 19.0x15.5x15.4 mm

CQC: CQC12002082387

cULus: E345228

TUV: R50244311

VDE: 40047206

SSA approval rating ⁽¹⁾

cULus (ANSI/UL 508 – ANSI/UL 60947-4-1)

(1formA) 10A/277VAC

10A/125VAC

12A/125/250VAC

15A/125/250VAC

TV-5/125/250VAC

1/4HP/240VAC

(1formC) 12A/125/250VAC

15A/125/250VAC

N.O. TV-5/125/250VAC

VDE

(1formA) 10A/277VAC

12A/277VAC

15A/277VAC

(1formC) 10A/277VAC

12A/277VAC

15A/277VAC

7A[3A]/277VAC

RB Series Power Relay - 20A



Outline dim. (LxWxH): 28.9x12.6x15.4 mm

CQC: CQC12002086471

cULus: E345228

TUV: R50249912

VDE: 40048321

SSA approval rating ⁽¹⁾

cULus (ANSI/UL 508 – ANSI/UL 60947-4-1)

(1formA) 16A/277VAC 1/2HP/120VAC

20A/250VAC TV-10/250VAC

(1formB) 16A/277VAC 20A/250VAC

(1formC) 16A[8A]/277VAC

(2formC) 8A[4A]/277VAC

VDE

(1formA) 10A/277VAC $\cos\phi=0.4$

20A/277VAC 16A/277VAC

(1formC) 20A/277VAC 16A/277VAC

(2formC) 8A[8A]/277VAC (each contact)

Meets IEC / EN 60079-15 - Electrical apparatus for explosive gas atmospheres

RF Series Power Relay – 25A / 32A



Outline dim. (LxWxH): 30.1x15.7x23.3 mm

CQC: CQC10002052738

cULus: E345228

TUV: R50194013

VDE: 40032929

SSA approval rating

cULus (ANSI/UL 508 – ANSI/UL 60947-4-1)

2HP/240VAC

20A/277VAC

25A/277VAC

1,5HP/277VAC

TUV

32A/250VAC

VDE

25A/250VAC

Meets IEC / EN 60079-15 - Electrical apparatus for explosive gas atmospheres

⁽¹⁾ [Value] in square brackets is the rated switched current for the N.C. throw of formC relay.

WRG



STARDAY S.r.l. Official Exclusive Distributor for Europe

Via Serra, 34 - Lippo di Calderara di Reno, Bologna 40012 - Tel. +39.051.3175111 - Fax +39.051.725410 - info@stardaysrl.it



STARDAY Srl

Via Serra 34 - 40012 Lippo di Calderara di Reno (BO)

Tel. 0513175111 - Fax 051725410

www.stardaysrl.it - info@stardaysrl.it

SEDE UNICA

DISTRIBUTOR	SEMICONDUCTORS													IP&E				
	Discretes (Signal/Power/RF)	Programmable Logic - ASIC	Logic (Bipolar/MOS)	Analog IC	Memories (Programmable/D/DRAM/SDRAM)	Microprocessors (MPU/MCU/DSP)	Optoelectronics	Display (LCD/FPD)	Sensors	Capacitors	Resistors	Inductors	Crystals/Filters	Switches/Pushbuttons/Toggles	Relays	Connectors/Sockets/Cables	Magnetics	Power Supplies
TURNOVER millions €	10 ÷ 24,99																	
HEADCOUNT	25 ÷ 49																	
OPERATING AREA	Internazionale																	
SUPPLIER	Interconnection, passive & electromechanical components																	
2B ELETTRONICA														*				
ADATA				*														
ALEX																	*	
ALLEN CREATION									*								*	
ANTENK																	*	
BAILING ELECTRONICS													*				*	
CHERNG WEEI																	*	
COMPUPACK																	*	
CREATIVE						*												
DAYA SEM.	*																	
DONGNAN													*					
EBUSBAR															*			
FIETJE							*											
FINDER															*			
FITRE															*			
FLEXXON				*														
FUJITSU															*			
HITALTECH																*		
LINK-PP																*		
LITEON							*											
LRC	*	*	*															
LUCKY LIGHT						*												



segue ↩

SUPPLIER

SEMICONDUCTORS

IP&E

Interconnection, passive & electromechanical components

	Discretes (Signal/Power/RF)	Programmable Logic - ASIC	Logic (Bipolar/MOS)	Analog IC	Memories (Programmable/DRAM/SDRAM)	Microprocessors (MPU/MCU/DSP)	Optoelectronics	Display (LCD/FPD)	Sensors	Capacitors	Resistors	Inductors	Crystals/Filters	Switches/Pushbuttons/Toggles	Relays	Connectors/Sockets/Cables	Magnetics	Power Supplies
MAGNACHIP	*			*														
MICON																	*	
NDK													*					
NINGBO FORWARD															*			
PAIRUI FUJANTRONICS												*					*	*
PANASONIC RELAY															*			
PARALIGHT							*											
PDC									*	*	*							
ROCKTECH							*											
SAURO																*		
SJK													*					
SOLOMON GOLDENTEK							*											
SUNTAN	*						*			*	*							
SUPERWORLD ELEC.												*					*	
TIANLI																*		
UNICREED																	*	
WRG															*			
YANGZHOU YANGJIE	*																	
ZETTLER DISPLAY							*											
ZETTLER MAGNETICS																	*	
ZETTLER RELAY															*			

OTHERS

BATTERIES

SUPPO

RF-WIRELESS-GSM

DYNAFLEX

BUZZERS & TRANSDUCERS

SPL (HK)

TRANSFORMERS

PAIRUI FUJANTRONICS, SUPERWORLD

EQUIPMENTS/TOOLS

EBUSBAR

ELEC., UNICREED

LITHIUM BATTERIES

ACT, GREATPOWER, HONCELL, LIDEA, LITHPLUS, OCELL

OTHERS ELECTRONIC PRODUCTS

GOLDENCELL SUPERCAPACITORS